FASTRAK WALLCOVERING

IN STOCK – EUROPE

VOL 1



FASTRAK -WALLCOVERING-

A SPECIAL COLLECTION FROM AN AWARD-WINNING STUDIO

Timeless yet innovative, the Fastrak Europe collection features the best textures created by the award-winning Versa Designed Surfaces design studio. In this collection you will find beautiful contemporary textures, classic linens, silk effects and natural weaves specially selected for the European market. The designs are very usable for hospitality, healthcare, public, corporate, education and retail spaces worldwide. Perfect for creating a serene ambiance in any space.

Fastrak is designed and manufactured to strict US standards for quality, performance and sustainability. All items are high quality fabric-backed, Type I 15 oz. (340 grams/m2) vinyl contract wallcovering and meet both European and American fire standards (Euroclass EN13501 (B-s1,d0); BS476 Part 6/7-British Class 0 & Class A – ASTME84).

To view the complete portfolio of vinyl designs as well as the newest technical developments including wall protection and PVC-free wall coverings, please visit versadesignedsurfaces.com. Versa's in-house design studio is also available to create custom designs to meet the specific needs of any project.

With over 65 years of experience in providing high quality wallcovering products around the world, Versa Designed Surfaces is a trusted resource for achieving your design vision.



Alden





EUR-101 / Alden




EUR-103 / Alden

EUR-102 / Alden








EUR-104 / Alden


Lucca






EUR-105 / Lucca

EUR-106 / Lucca



EUR-107 / Lucca






EUR-108 / Lucca

Palermo











EUR-113 / Palermo




EUR-110 / Palermo



EUR-114 / Palermo

Malta





EUR-115 / Malta




EUR-117 / Malta

EUR-118 / Malta



EUR-119 / Malta



EUR-116 / Malta



Athens





EUR-120 / Athens



EUR-122 / Athens

EUR-123 / Athens



EUR-124 / Athens



EUR-121 / Athens



Mayana





EUR-125 / Mayana



EUR-126 / Mayana



EUR-127 / Mayana

Corinth





EUR-128 / Corinth



EUR-130 / Corinth



EUR-129 / Corinth



EUR-131 / Corinth





EUR-132 / Opus

EUR-133 / Opus



EUR-134 / Opus







EUR-135 / Opus

Aurora






EUR-136 / Aurora



EUR-137 / Aurora



EUR-138 / Aurora

Aspero





EUR-139 / Aspero



EUR-140 / Aspero

FASTRAK

Pattern Name	Pattern Number	Weight	Backing	Installation	Roll Size
Alden	EUR-101-104	15oz (340 gr/m²)	Scrim	Reverse, Random Match	132/137 cm * 30 Yards (27.4 m)
Lucca	EUR-105-108	15oz (340 gr/m²)	Scrim	Reverse, Random Match	132/137 cm * 30 Yards (27.4 m)
Palermo	EUR-109-114	15oz (340 gr/m²)	Scrim	Reverse, Random Match	132/137 cm * 30 Yards (27.4 m)
Malta	EUR-115-119	15oz (340 gr/m²)	Scrim	Reverse, Random Match	132/137 cm * 30 Yards (27.4 m)
Athens	EUR-120-124	15oz (340 gr/m²)	Scrim	Reverse, Random Match	132/137 cm * 30 Yards (27.4 m)
Mayana	EUR-125-127	15oz (340 gr/m²)	Scrim	Reverse, Random Match	132/137 cm * 30 Yards (27.4 m)
Corinth	EUR-128-131	15oz (340 gr/m²)	Scrim	Reverse, Random Match	132/137 cm * 30 Yards (27.4 m)
Opus	EUR-132-135	15oz (340 gr/m²)	Scrim	Reverse, Random Match	132/137 cm * 30 Yards (27.4 m)
Aurora	EUR-136-138	15oz (340 gr/m²)	Scrim	Reverse, Random Match	132/137 cm * 30 Yards (27.4 m)
Aspero	EUR-139-140	15oz (340 gr/m²)	Scrim	Reverse, Random Match	132/137 cm * 30 Yards (27.4 m)

SPECIFICATIONS

Cu

52-54" (132/137 cm) width	Standard Non-ortho phthalate plasticizers	Euroclass EN13501 (B-s1,d0)
High tear and tensile strength	 No formaldehyde or heavy metals 	 Meets BS476 Part 6/7-British Class 0
Highly cleanable & stain resistant	Meets/exceeds CCC-W-408D & W101 specifications	 Fire Certification – Class A – ASTME84
Color fast water-based inks		GB18585-2001 Harmful Substance Testing (P
Custom options are available. Please c	• GB/T 1741-2007 Resistance to Mold (Grade 0	
WARRANTY		• Low VOC CA01350 (Indoor Air Quality)

FASTRAK products are guaranteed to be free of defects in workmanship and materials for five years.

